

HORNÝ, Radvan /reviewer/; SPINAR, Zdenek /author/  
SURNAME (in caps); Given Names

Country: Czechoslovakia

Academic Degrees: [not given]

Affiliation: [not given]

Prague,

Sources: Vestník Ústředního Ústavu Geologického, Vol XXXVI, No 3, 1961, pp 227-228.

Data: "Principles of the Invertebrate Paleontology (Zaklady paleontologie bezobratlych), Prague, Publishing House of the Czechoslovak Academy of Sciences (Nakladatelství CSAV [Československá akademie věd], 1960, 636 pages.

HOHNÝ, R.

Czechoslovakia

People's Museum -- Prague (Národní museum -- Praha)

Prague, Věstník ústředního ústavu Geologického,  
No 6, 1962, pp 473-476

"New Genera of Bohemian Lower Paleozoic Bellerophontina."

HORNY, Radvan J.

New genera of Bohemian Lower Paleozoic Bellerophontidae. Vestnik  
ust geolog 37 no.6:473-476 N '62.

HORNYAK, LORINC

27  
 Oxidation of sulfur dioxide in a fluidized bed with vanadium catalyst. Ist. Szekcsanyi, Lorinc Hornyak, and Ist. van K. Tóth (Univ. Chem. Ind., Veszprek, Hung.). Veszpremi Vegyipari Egyetem Közleményei 2, 57-63 (1953).  
 The oxidation of  $\text{SO}_2$  with air was studied in a 20-cc. (practically isothermal) reactor, made of quartz, by using a V catalyst (such as employed in  $\text{H}_2\text{SO}_4$  manuf.) of 0.78- and 1-mm. particle size, at a gas rate of 0.5-8.5 l/min., and at 450-500°. The initial  $\text{SO}_2$  concn. as 2.7-7.0 vol. %, and conversion rates of 10-70% were attained. In a stationary bed the direction of flow (whether up or down) made no difference in the results. On attaining the fluidized state, the activity of the bed increased instantaneously; the extent of the increase became larger with increasing temp. This increase was evident even at the lowest initial  $\text{SO}_2$  concn. examd. The activity increase commenced always at the same feed rate for any given bed, regardless of concn. and temp.  
 G. J. Emych

RUMANIA/Human and Animal Physiology (Normal and Pathological)  
Blood Circulation. The Heart.

T

Abs Jour : Ref Zhur Biol., No 6, 1959, 26578

Author : Markus, Kornel; Balogh, Odon; Hornyak, Sander

Inst : -

Title : The Changes of Electrocardiogram Connected With  
Vegetative Nervous System in Athletes.

Orig Pub : Rev. med. (RPR), 1957, 3, No 3, 44-47

Abstract : No abstract.

Card 1/1

- 48 -

HORNYANSZKY, Karoly, dr.

Biogenic epithelization with human embryonic tissues. Orv.hetil.  
102 no.9:404-406 26 F '61.

1. Fejer-megyei Korhaz, Borgyogyaszati Osztaly.  
(TISSUE THERAPY)  
(VARICOSE ULCER ther)

DAUM, S.; CHYTIL, M.; HORNYCH, A.

Extracorporeal hemodialysis with the artificial kidney. Sborn. lek.  
59 no.3:77-92 Mar 57.

1. II. interni klinika fakulty vseobecneho lekarstvi university Karlovy  
v Praze, prednosta prof. Dr A. Vancura.

(KIDNEYS, artif.

extracorporeal hemodialysis (Cz))

BROD, J.; HORNYCH, A.

Effect of improved picture of the erythrocytes on renal function  
in chronic insufficiency. Polski tygod.lek. 15 no.43/44:1643-1647  
24 0'60.

1. Ustav pro choroby obehu krevniho, Praha.  
(KIDNEY DISEASES blood)



CZECHOSLOVAKIA

A. BORNÝCH, Institute for Cardiovascular Diseases (Ústav pro choroby srdce a krevního oběhu) Chief (ředitel); Docent Dr. J. BROG, DrSc; Prague.

"Guanchidine - a New Effective Antihypertensive Drug. Our Experiences with Its Clinical Use."

Prague, Casopis Lekaru Ceskych, Vol 102, No 5, Feb 1 63; pp 113-124.

Abstract (English summary modified): Thorough study on the drug in 19 hospitalized and 12 ambulatory patients, all severe; in most instances combined with other antihypertensives, non-mercurial diuretics, rauwolfia and other preparations; renal function tests, effect on standing and supine blood pressure. Conclude that drug is doubtlessly very effective but it requires very strict medical supervision and care as the margin between curative and side effects is narrow. Six tables, 3 graphs; 16 Western references.

1/1

CZECHOSLOVAKIA  
HORNÝCH, A., PRAT, V., MEJL, Z., and DEJDAR, R., with technical cooperation of ČAPKOVÁ, E., and TROUSIL, V., Institute for the Blood-Circulation Diseases (ústav pro choroby obehu krevního), Prague, Prof. Dr. J. BROD, Dr. of Sciences, director.

"Effect of Aortography on Renal Function With Regard to Contrast Substances"

Prague, Casopis Lékařů Českých, Vol CII, No 34, 23 August 63, pp 928-934.

Abstract [Authors' English summary, modified]: Seldinger's method or lumbar puncture were applied to 58 patients in abdominal aortography. The effect of Diodon, Triumbren, Pyelosil, Hypaque, and Urografin on the glomerular filtration was compared. Addis' sediment and quantitative proteinuria were examined in 27 patients. Hypaque and Urografin proved most useful. Diodon and Triumbren are not suitable for this examination. After Diodon two patients developed a transient renal insufficiency. An examination of the renal function is essential before every aortography. In patients with a markedly reduced glomerular filtration aortography involves a great hazard. Fourteen references.

1/1

HORNYCH, A.

Guanethidine -- an effective new hypotensive preparation. Cas. lek.  
cesk. 102 no.5:113-124 1 F '63.

1. Ustav pro choroby oběhu krevního v Praze, reditel doc. dr. J. Brod,  
DrSc.

(GUANETHIDINE)

(HYPERTENSION)

JIRKA, J.; FENCL, V.; HURYCH, J.; HORNYCH, A.

Intermittent peritoneal dialysis. Cas. lek. desk. 103 no.47:  
1289-1299 20 N '64.

1. Ustav pro choroby krevního, Praha-Krc, (reditel prof. dr.  
J. Brod, DrSc.).

BROD, J.; HORNÝCH, A.; VAVREJN, B.; PRAT, V.; KOTKOVÁ, E.; LEJDAK, P.;  
OPPELT, A.; CHARVAT, P.

Isotope renography in the diagnosis of chronic pyelonephritis.  
Cas. lek. Cesk. 104 no.52:1409-1420 24 D '65.

1. Ústav pro choroby oběhu krve v Praze (ředitel prof.  
dr. J. Brod, DrSc.) a Vědecký ústav pro využití radioizotopu  
v lékařství (vedoucí MUDr. B. Vavrejn, CSc.).

BROD, J.; HORNYCH, A.; VAVREJN, B.; PRAT, V.; KOSTKOVA, B.; DEJDAK, R.;  
OPPELT, A.; CHARVAT, P.

Isotope renography in the diagnosis of chronic pyelonephritis.  
Rev. Czech. med. 11 no.4:213-231 '65.

1. Institute of Cardiovascular Research, Prague (Director:  
Prof. J. Brod. M.D., D.Sc.).


CA

7

Use of complexes in chemical analysis. VIII. Colorimetric determination of manganese. R. Pibil and E. Hornychová (Charles Univ., Prague). *Chem. Listy* 44, 101-3 (1950); cf. C.A. 43, 3756c. —Mn(III) forms a ruby-colored complex with  $[(H_2CCH_2)_2NCH_3]_2$  (complexon III). Mn(II) solns. are oxidized with  $PbO_2$  or  $NaBiO_3$  in  $AcOH$  and absorption is measured at 500 mμ. Zn, Cd, Mg, and Hg do not interfere. When Co and Cr are present in the soln. a modified procedure is necessary. To det. Mn add 5 ml. 5% complexon soln. to a neutral soln. contg. 0.1-30 mg. Mn(II) salt in a volumetric flask, acidify with 10 ml.  $AcOH$ , add 0.1 g.  $NaBiO_3$ , shake 1 min., make up to 100 ml., and measure the absorption after 1 min. Al, Fe, Cu, and Ni must be removed prior to the detn. To det. Mn in the presence of Cr measure the absorption before and after the oxidation. To det. Mn in the presence of Co measure the absorption after the oxidation, then boil 1 min. to decomp. the Mn complex, and measure again. By combining the last 2 procedures, it is possible to det. Mn in the presence of small amts. of both Cr and Co. X. Gravimetric determination of tungsten with  $\alpha$ -quinolinol. R. Pibil and V. Sedláč. *Ibid.* 200-4. —The oxime of  $\alpha$ -quinolinol ppt. W, Mo, and V quantitatively from their complexes with  $[(H_2CCH_2)_2NCH_3]_2$  in the presence of  $AcOH$  and  $NH_4OAc$ . Other cations remain in soln. Methods for detg. W in the presence of Pb, Bi, Hg(II), Cd, Cu, Fe, Al, Cr, U,

Co, Mn, and Ni have been worked out. Procedures for the sepn. of W from U, Fe, and Co and for the sepn. of W, Fe, and Co and of W, U, and Co are given. W oximate can be decompd. with 4 N  $NaOH$ . The soln. is acidified with  $HCl$  in the presence of  $H_2C_2O_4$  and excess  $KBrO_3$  is added with ethyl red as indicator. Excess  $KBrO_3$  is immediately detd. iodometrically. XI. Potentiometric determination of cations with complexon III. R. Pibil,

J. Koudela, and B. Matyska. *Ibid.* 223-4. —Fe(III) can be titrated directly with complexon III (0.1 M) with a Pt electrode. The optimum pH is 3. Stability of the complexes is increased by  $NH_4OAc$ . Al, Cu, Cd, Zn, Ni, and Pb form stable complexes and can be detd. by adding excess complexon III and back titrating with Fe(III) (pH 5-6). Bi is detd. by formation of the complex in strongly acidic medium and back titration with Fe(III) at pH 3-5. Detn. of Bi in the presence of Cd, Zn, or Pb is carried out at different pH values. For the simultaneous detn. of Fe and Al the sample is treated with a known amt. of 0.1 M complexon III,  $NH_4OAc$  added to pH 5, and the excess complexon titrated with 0.1 M  $FeCl_3$ . The consumption gives the total Fe and Al. A known amt. of  $FeCl_3$  is added, and the soln. is acidified with  $HCl$  to pH 2 and allowed to stand 30 min. to accomplish the exchange of Al complexonate with Fe complexonate. Excess Fe(III) is detd. iodometrically. M. Hudlický





CZECHOSLOVAKIA

CZECHOSLOVAKIA

BAJO, M.; HORNYCHOVA, H.; KRECEK, J.; Veterinary Faculty (Veterinarni Fakulta), Kosice; Faculty of Pediatrics, Charles University (Fakulta Detskeho Lekarstvi KU), Physiological Institute Czechoslovak Academy of Sciences (Fysiologicky Ustav CSAV), Prague.

"Natriuretic Effect of Vasopressin in Young Rats, and its Changes Resulting from Premature Weaning."

Prague, Ceskoslovenska Fysiologie, Vol 15, No 3, May 66, pp 212-216

Abstract: Sensitivity to antidiuretic and natriuretic effects of vasopressin was investigated in young rats aged 23, 30, 40, and 50 days. 23 days old rats are very sensitive to the antidiuretic effect of vasopressin. The manifestation of the natriuretic effect of vasopressin differs with age. A strong effect was noticed at 23 and 50 days; at 33 days no effect was noticed, at 40 medium doses are effective, low and high ones had no effect. Weaning increases sensitivity to the antidiuretic effect of vasopressin, increases natriuresis in 23 and 33 day old rats, and suppresses the natriuretic effect in 50 day old rats. 4 Figures, 11 Western, 9 Czech references. Submitted at 15 Days of Physiology-Symposium of Water Metabolism- 29 May 65.

1/1

BRACHFELDOVA, J.; HORNYCHOVA, H.; MENCIKOVA, E.; SKALOVA, L.;  
NEUGEBAUEROVA, L.

Listeria infection in newborn infants. Cesk. pediat. 18 no.10:  
896-901 0 '63.

1. II detska klinika fakulty detskeho lekarstvi KU v Praze,  
prednosta prof. dr. J. Houstek, DrSc. Ustav lekarske mikro-  
biologie a imunologie v Praze, prednosta prof. dr. P. Patocka  
KHES Stredoceskeho kraje v Praze, reditalka MUDr. M. Rejskova.  
(INFANT, NEWBORN, DISEASES) (LISTERIA INFECTIONS)  
(COMMUNICABLE DISEASE CONTROL)

ERDELYI, Ferenc, egyetemi adjunktus; HORNYIK, Laszlo, egyetemi adjunktus;  
TAJNAFOI, Jozsef, egyetemi adjunktus.

Theoretical foundations for designing multiflue distribution  
valves with fixed program. Gep 15 no.11:425-431 N°63

1. Nehezipari Muszaki Egyetem Szereszamgepek Tanszaka, Miskolc.  
Tanszekvezeto: Kordoss, Josef, egyetemi tanar.

✓ Influence of eserine, tetraethylpyrophosphate, and neostigmine on the blood pressure and the carotid sinus pressure reflexes in the rat. O. Hornykiewicz and W. Kobliger (Univ. Vienna). *Nahrung-Schmidts Arch. exp. Pathol. Pharmacol.* 228, 461-500 (1976).—The reported pressor effects of eserine (I) and tetraethyl pyrophosphate (II) are confirmed. The pressor effects produced by occlusion of the carotid sinuses are activated by I and II. Intracisternal application of I and the use of atropine and reserpine suggest that the effects on blood pressure and the carotid sinus occlusion reflex are mediated by a central mechanism. Prostigmine, which on intravenous administration gives only a peripherally conditioned reducing effect on the blood pressure, exerts after intracisternal administration the same effect on blood pressure and the carotid sinus occlusion reflex as I and II.

A. V. Meyer

2

HORNYOS, Janos

A new theory on the genesis of oil. Bany lap 94 no.3:186 Mr '61.

(Oils and fats)

HORNZIEL, Gustaw, mgr.inz.

The most modern types of electric batteries and electric motorization.  
Przegl techn 81 no.14:13-15 Ap '60.

POLAND

GAYRONOWA, Helena; HOROCH, Czeslawn; KOZLOWSKA, Teresa; SI-KORSKA, Jadwiga and SZMUNESS, Wolf; Wojewodztwo Health and Epidemiology Station (Wojewodzka Stacja Sanitarno-Epidemiologiczna), Lublin, Director: Dr Cz. HOROCH.

"A Water-Borne Epidemic of Dysentery and Diarrhea"

Warsaw, Przegląd Epidemiologiczny, Vol XVI, No 4, 1962, pp 473-478.

Abstract: Authors: English summary modified. An epidemic of bacillary dysentery and colitis probably due to the contamination of the water supply in an urban area is described. The incidence and clinical course of the diseases are discussed. The healthy carriers, primary cases, duration of the epidemic and its peaks, as well as its control are reported. 2 tables; 1 diagram; 6 references, all of them Eastern.

- END -

2372, 2571  
CSO: 2000-N

HCROCH, I.

"Improvement of Qualifications as One of the Chief Tasks of Smelters in 1953" p. 14  
(Wiadomosci Hutnicze, Vol. 9, No. 4, April, 1953, Stalinogrod)

SO: Monthly List of East European Accessions, Vol. 3, No. 2, Library of Congress,  
February, 1954, Uncl.



HORCCH, I.

"The Whole Nation Builds Nowa Huta; our Metallurgy will Transfer its Best Cadres of Workers to it" p. 8 (Wiadomosci Hutnicze, Vol. 9, No. 7/8, July/Aug., 1953, Stalinograd)

SO: Monthly List of East European Accessions, Vol. 3, No. 2, Library of Congress, February, 1954, Uncl.

HOROCH, Ludwik

For development of the Polish national economy in all possible respects; on the basis of the principles and resolutions of the 12th Plenum of the Central Committee of the Polish United Worker's Party and the development directives of the Polish People's Republic for 1959-1965. Wiad hut 15 no.2:37-39 F '59.

POLAND

HORODECKA, Maria; WIECLAWEK, Bonifacy.

Department of Analytical Chemistry, Institute of Antibiotics  
(Zaklad Analityczny Instytutu Antybiotykow), Warsaw - (for both).

Warsaw, Chemia analityczna, No 6, November-December 1965, pp 1363-1364.

"The modified method of spectrophotometric determination of erythromycin in fermentation worts."

HORODECKI, Jerzy, mgr.inz.

Cutting machine tools at the 1961 International Industry Fair  
in Brno. Przegl mech 21 no.2:51-55 Ja '62.

1. Centralne Biuro Konstrukcji Okretow, Pruszkow.

HORODECKI, Jerzy, mgr. inz.

Universal milling machines produced by the P. Hure Works in  
Paris. Przegl mech 22 no.19:607-608 10 0 '63.

HORODENSKI, Jarosław

A case of congenital lens dislocation. Klin.oczna 29 no.4:  
409-411 '59.

1. Z Kliniki Okulistycznej A. M. w Białymstoku Kierownik:  
prof. dr med. M.Dymitrowska.

(LENS CRYSTALLINE abnorm)

JANUSZKO, Tadeusz; HORODESKI, Jaroslaw; OLBROMSKI, Jan

Behavior of fibrinolysis activator in stored plasma. Acta med.  
Pol. 6 no.2:225-233 '65.

1. Department of General and Experimental Pathology, Medical  
Academy, Bialystok (Director: Prof. Dr. K. Buluk) and the  
Ophthalmological Clinic, Medical Academy, Bialystok (Director:  
Prof. Dr. M. Dymitrowska).

Opalski J.

Opalski J. and Włodarczyk J. Second Clinic of Internal Diseases Jagiellonian Univ. of Cracow and Inst. of Neurology, St. Lazarus' Hospital Cracow. Nitrogranulogen (nitrogen mustard) wleżeniu dożylowym układu nerwowego Nitrogranulogen (nitrogen Mustard) in the treatment of diseases of the nervous system. int. acad. Cracovic, 01.1949, 1-11 (11-231) Tables 1

0.01-0.12 mg/kg. body weight was given 2-3 times on alternate days, begin repeated in some cases after an interval of 2-4 weeks. In 70 cases of neuralgia and neuritis, good results were obtained in 43 (90%). In 14 cases of tuberculous meningitis previously treated with streptomycin, there was improvement of paralysis and paresis, but not always of the general condition in all the cases. In 2 cases of recent cerebral hemorrhage, there was a rapid improvement in the paresis. In 3 cases of polymyelitis and 12 cases of chorea good results were also obtained. In 25 cases of cerebral tumor there was relief of pain and improvement in paresis. It is not thought that nitrogen mustard has any antimitotic activity on the tumor, but rather that it accelerates and the rate of absorption of exudates, reducing the inflammatory changes in the adjacent tissues.

Opalski - Warsaw  
(VIII, 2)

Act. Neurol. Psychiatry Section VIII, Vol. 4, No.1-6



HOŁA DUBSKI, Jarosław

A rare case of focal tuberculous reaction without local reactions  
in tuberculin reaction. Klin. oczna 32 no.1:49-51 '62.

1. Z Kliniki Okulistycznej AM w Białymstoku Kierownik: prof. dr  
med. M. Dymitrowska.  
(TUBERCULIN REACTION) (CHOROID dis)

Prof. dr hab. J. J. Ogiński, Neurologiczno-Psychiatrycznego Państwowego  
Szpitala w Krakowie. Leczenie polpasza. Treatment of neurotropic  
virus disease. Przegl. Lek. 1950, 6/3 (77-79)

Five serious cases of herpes zoster were successfully treated by intravenous  
injections of nitrogranulogen, given daily in a dose of 1 mg. in 10 ml.  
of saline solution for 4-5 days. The injection should be made immediately  
after opening the ampoule which ought not to be older than three months.

Bogdanowicz - Warsaw (XX, 6, 9, 13)

See: Neurology & Psychiatry Section VIII, Vol. 4, No. 1-6

WIERCIBSKI, Jozef; KAPUCHA, Regina

Considerations on Meins-Wedin disease according to observations during 1951. Neurologia etc. polska 4 no. 6:609-618 Nov-Dec 54.

1. 2 Kliniki Chorob "erwowych Akademii Medycznej w Krakowie.  
Kierownik: prof. dr Wl. Jakimowicz.  
(POLIOYELITIS, epidemiology,  
in Poland, clin. aspects)

1986/01/16/06/012/002/0046/0453

1986/01/16/06/012/002/0046/0453

Institute of Physiology Im. A. A. Bogdanovskiy, Academy  
of Sciences of the USSR, Leningrad, USSR

Effect of microwaves on the testicles of ani-  
mals

1986/01/16/06/012/002/0046/0453

physiology, biochemistry, microwave effect, animal

Experiments were conducted on young male white mice weighing 20--22 g.  
The mice were irradiated with a power density of 0.4 w/cm<sup>2</sup> for  
10 minutes. The irradiation was performed by a generator (557 cps, 60 kw, neon pow-  
er supply). The results were evaluated as follows: 1) breed-  
ing of the mice; 2) the number and condition of the  
offspring; 3) the number of stillborn progeny from irradiated  
mice; 4) the condition of the testicles of irradiated mice; 5) the RNA  
content of the testicles of irradiated mice. The results were statistically pro-

7  
The results of the experiment showed that the irradiation had a deleterious effect on the  
growth of the microorganisms, and a decrease in the number of  
microorganisms was observed after irradiation and on the fifth day.  
[CD]

1. The results of the experiment showed that the irradiation had a deleterious effect on the  
growth of the microorganisms, and a decrease in the number of  
microorganisms was observed after irradiation and on the fifth day.  
[CD] 4237

1. ~~SECRET~~ Reviewer

2. ~~SECRET~~ Reviewer

3. ~~SECRET~~ Reviewer

4. ~~SECRET~~ Reviewer

5. ~~SECRET~~ Reviewer

6. ~~SECRET~~ Reviewer, ~~SECRET~~ Reviewer, ~~SECRET~~ Reviewer, Vol VI,  
No. 1, ~~SECRET~~ Reviewer, ~~SECRET~~ Reviewer, Committee of Experts on Poliomyelitis  
and ~~SECRET~~ Reviewer, Technical Reports Series, 1960, No 203).

"APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618130005-7

APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618130005-7"

\*\*\*\*\*

Studies on the toxicity of streptomycin. Polish Hygien. 5  
no. 11:11-117:1171 7 Aug 50. (CINCL 2015)

1. Of the Academic Sanatorium in Zakopane (Director--St. Jasinski, M.D.) and of the Clinic for Tuberculosis of the Lungs of Odanski Medical Academy (Head--Prof. M. Polatycki, M.D.).



"APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618130005-7

... ..  
... ..  
... ..  
... ..  
... ..

APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618130005-7"

**APPROVED FOR RELEASE: 09/21/2001**

**CIA-RDP86-00513R000618130005-7"**

**"APPROVED FOR RELEASE: 09/21/2001**

**CIA-RDP86-00513R000618130005-7**



**APPROVED FOR RELEASE: 09/21/2001**

**CIA-RDP86-00513R000618130005-7"**

**"APPROVED FOR RELEASE: 09/21/2001**

**CIA-RDP86-00513R000618130005-7**




**APPROVED FOR RELEASE: 09/21/2001**

**CIA-RDP86-00513R000618130005-7"**

**"APPROVED FOR RELEASE: 09/21/2001**

**CIA-RDP86-00513R000618130005-7**



**APPROVED FOR RELEASE: 09/21/2001**

**CIA-RDP86-00513R000618130005-7"**

**"APPROVED FOR RELEASE: 09/21/2001**

**CIA-RDP86-00513R000618130005-7**



**APPROVED FOR RELEASE: 09/21/2001**

**CIA-RDP86-00513R000618130005-7"**

STROINCO, D., KOCENICANU, P.; ELIN, R.; RAMFIRSCU, M.

Studies on the Coxsackie virus. II. Attempted culture of strains of Coxsackie virus isolated in the Rumanian People's Republic on mouse embryo tissue cultures. Stud. cercet. inframicrobiol., Bucur. 6 no. 3-4:469-476 July-Dec. 1955.

(COXSACKIE VIRUS, culture  
attempted adaptation of strains isolated in Rumania to  
culture in vitro, using mouse embryo tissues)





1. The following information was obtained from a review of the file of the subject, [redacted], who was born [redacted] and who was a member of the [redacted] organization. The information was obtained from a review of the file of the subject, [redacted], who was born [redacted] and who was a member of the [redacted] organization. The information was obtained from a review of the file of the subject, [redacted], who was born [redacted] and who was a member of the [redacted] organization.

...with ... the end of  
... paralysis  
... study  
... by Professor  
...  
... Ministerial  
... Public  
...  
...  
... Institute  
... included  
... type  
... 11-

THE UNIVERSITY OF CHICAGO PRESS, 108 EAST 57TH STREET, NEW YORK, N.Y. 10022

Investigator of player formation by poliovirus in varietal common cold  
relapse system. Arch. Virol. publ. exp. microbiol. 20 no. 1:115-127  
of '61.

2. Fellowship Department of the Dr. J. G. Thompson Institute.

(POLYMERELITE VS. VIRUS CULTURE)



BOICOMIRANU, V.; SERGIESCO, Dina; KLEIN, R.; ZAMFIRSCU, M.; ROBERT-  
COBYESCO, A.; BRUCKER, Elena, assistante medicale.

Research on the nature of the guanidine resistance of type 1  
poliovirus and on the biological properties of its mutants.  
Arch. roum. path. exp. microbiol. 23 no.34719-724. 8'63

1. Travaux de l'Institut "Dr. I. Cantacuzino"; Service de la  
Poliovaccination. Bucarest.

HORNY, Jiri; GUCKO, Rudolf, inz.

Calculation of the average value of a time series. Prace mzda  
12 no.3:109-114 Mr'64

1. State Wage Commission.

HORNÝ, Jiri

Control of proposed unified performance standards and performance  
standar indexes with regard to the character of work. Prace mzda  
10 no.1:8-12 Ja '62.

1. Pracovník sekretariátu Státní mzdové komise.

HORNY, Jiri

Problems of work measurement standards. Prace mzda 10  
no.4:165-172 Ap '62.

1. Sekretariat Statni mzdove komise.



HORNY, Pavol, inz.

Breaking the ice barrier near Stary Tekov. Vod hosp  
13 no.11: 423-425 '63.

1. Krajske vodohospodarske rozvojove a investicne stredisko,  
Bratislava.

HORNY, R.

"Two new representatives of the family Murchisonidae Koken (Gastropoda) from the Silurian of central Bohemia." p. 209. (Sbornik, Vol. 19, 1952. Praha)

SO: Monthly List of East European Accessions, Vol.3, No.2, Library of Cong., Feb. 1954, Uncl.

1001, .

The zone of Akilerra ten ascension Davies, 1926, in the Southern list  
of the Silurian of the Berren-Hen. p. 2. 1106. Netroin' untry  
rock. rick. SILENTK, Praha. Vol. 17, no. 4, 1942.

SOURCE: East European Accessions List (EEAL), Library of Congress  
Vol. 5, no. 12, December 1956.

HORNY, R.

"The genus Dawsonoceras Hyatt, 1884 (Nautiloidea) of the Silurian of central Bohemia."

SBORNIK, ODDIL PALEONTOLOGICKY, Praha, Czechoslovakia, Ustredni ustav geologicky.  
Vol. 22, 1955.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 8, August 1959.  
Uncl.

HORNY, R.

"Tryblidiinae Pilsbry, 1899 (Gastropoda)  
from the Silurian of central Bohemia."

SBPRMOL. PDDO: QDBEFMTP:PGOCU. Praha, Czechoslovakia, Ustredni ustav geologicky.  
Vol. 22, 1955.

Monthly List of East European Accessions (EEAI), IC, Vol. 8, No. 8, August 1959.  
Uncl.

HORNY, R.

HORNY, R. New information on the biostratigraphy of the Silurian around Skuteč and  
Vlínko. p. 128.

Vol. 31, No. 3, 1956.

VĚSTNÍK

GEOGRAPHY & GEOLOGY

Praha, Czechoslovakia

So: East European Accession, Vol. 6, No. 2, Feb. 1957

HORNY, R.

Results of the biostratigraphic research in the Slurian and Devonian between Liten and Suchomasty. p. 373

Prague. Ustreeni ustav geoloticky. VESTNIK. Praha, Czechoslovakia, Vol. 33, no. 5, 1958

Monthly List of East European Accessions (EEAI), LC, Vol. 8, no. 11, Nov. 1959  
Uncl.

FORNEY, R.

"Report on the International Working Congress on the Stratigraphy of the Silurian and Devonian, held in Prague during the year, 1959."

ČASOPIS PRO MINERALOGII A GEOLOGII, Praha, Czechoslovakia, Vol. 4, No. 2, 1959.

Monthly list of EAST EUROPEAN ACCESSIONS INDEX (EMAI), Library of Congress, Vol. 8, No. 8, August, 1959.

Unclassified.



HORNY, Radvan

SURNAME (in caps); Given Names

Country: Czechoslovakia

Academic Degrees: /not given/

Affiliation: Central Institute of Geology (Ustredni. ustav geologiccky),  
Prague.

Source: Prague, Vestnik Ustredniho Ustavu Geologickeho, Vol XXXVI,  
No 2, 1961, pp 299-302.

Data: "New Genera of Bohemian Monoplacophora and Patellid Gastro-  
poda." (In English)

173

HORNY, Radvan /reviewer/; SPINAR, Zdenek /author/  
SURNAME (in caps); Given Names

Country: Czechoslovakia

Academic Degrees: [not given]

Affiliation: [not given]

Prague,

Source: Vestník Ústředního Ústavu Geologického, Vol XXXVI, No 3, 1961, pp 227-228.

Data: "Principles of the Invertebrate Paleontology (Zaklady paleontologie bez-  
obratlych), Prague, Publishing House of the Czechoslovak Academy of Scien-  
ces (Nakladatelství CSAV [Československá akademie věd], 1960, 636 pages.

264

HORNÝ, R.

Czechoslovakia

People's Museum -- Prague (Národní museum -- Praha)

Prague, Věstník ústředního ústavu Geologického,  
No 6, 1962, pp 473-476

"New Genera of Bohemian Lower Paleozoic Bellerophontina."

HORNY, Radvan J.,

New genera of Bohemian Lower Paleozoic Bellerophontidae. Vestnik  
ust geolog 37 no.6:473-476 N '62.

HORNYAK, LORINC

27  
 Oxidation of sulfur dioxide in a fluidized bed with vanadium catalyst. Fal Székelyi, Lorinc Hornyak, and István K. Tóth (Univ. Chem. Ind., Vasaprem, Hung.)  
Vasaprem Vegyipari Egyetem Közleményei 2, 57-63 (1958).  
 The oxidation of  $\text{SO}_2$  with air was studied in a 20 cc. (practically isothermal) reactor, made of quartz, by using a V catalyst (such as employed in  $\text{H}_2\text{SO}_4$  manuf.) of 0.78- and 1-mm. particle size, at a gas rate of 0.5-3.5 l/min., and at 450-80°. The initial  $\text{SO}_2$  concn. was 2.7-7.0 vol. %, and conversion rates of 10-70% were attained. In a stationary bed the direction of flow (whether up or down) made no difference in the results. On attaining the fluidized state, the activity of the bed increased instantaneously; the extent of the increase became larger with increasing temp. This increase was evident even at the lowest initial  $\text{SO}_2$  concn. examined. The activity increase commenced always at the same feed rate for any given bed, regardless of concn. and temp.  
 G. J. Hornyak

RUMANIA/Human and Animal Physiology (Normal and Pathological)  
Blood Circulation. The Heart.

T

Abs Jour : Ref Zhur Biol., No 6, 1959, 26578  
Author : Markus, Kornel; Balogh, Odon; Hornyak, Sander  
Inst : -  
Title : The Changes of Electrocardiogram Connected With  
Vegetative Nervous System in Athletes.  
Orig Pub : Rev. med. (RMR), 1957, 3, No 3, 44-47  
Abstract : No abstract.

Card 1/1

- 48 -

HORNYANSZKY, Karoly, dr.

Biogenic epithelization with human embryonic tissues. Orv.hetil.  
102 no.9:404-406 26 F '61.

1. Fejer-megyei Korhaz, Borgyogyaszati Osztaly.  
(TISSUE THERAPY)  
(VARICOSE ULCER ther)

DAUM, S.; CHYTIL, M.; HORNYCH, A.

Extracorporeal hemodialysis with the artificial kidney. Sborn. lek.  
59 no.3:77-92 Mar 57.

1. II. interni klinika fakulty vseobecneho lekarstvi university Karlovy  
v Praze, prednosta prof. Dr A. Vancura.

(KIDNEYS, artif.

extracorporeal hemodialysis (Cz))



BROD, J.; HORNYCH, A.

Effect of improved picture of the erythrocytes on renal function  
in chronic insufficiency. Polski tygod.lek. 15 no.43/44:1643-1647  
24 0'60.

1. Ustav pro choroby obehu krevniho, Praha.  
(KIDNEY DISEASES blood)

CZECHOSLOVAKIA

A. HOPPECH, Institute for Cardiovascular Diseases (Ústav pro choroby  
srdce a krevního oběhu) Chief (veditel); Docent Dr. J. BROD, DrSc.; Prague.

"Guaneethidine - a New Effective Antihypertensive Drug. Our Experiences  
with Its Clinical Use."

Prague, Casopis Lékařů Českyh, Vol 102, No 5, Feb 1 65; pp 113-124.

Abstract [English summary modified]: Thorough study of the drug in 19  
hospitalized and 12 ambulatory patients, all severe; in most instances  
combined with other antihypertensives, non-mercurial diuretics,  
rauwolfia and other preparations; renal function tests, effect on  
standing and supine blood pressure. Conclude that drug is doubtlessly  
very effective but it requires very strict medical supervision and  
care as the margin between curative and side effects is narrow. Six  
tables, 3 graphs; 16 Western references.

1/1

U2B0R05B0VARIK  
HORNÝCH, A., PRAT, V., HEJL, Z., and DEJDAR, R., with technical cooperation of ČAPKOVÁ, E., and TROUSIL, V., Institute for the Blood-Circulation Diseases (Ústav pro choroby oběhu krve), Prague, Prof. Dr J. BROD, Dr of Sciences, director.

"Effect of Aortography on Renal Function With Regard to Contrast Substances"

Prague, Casopis Lékárů Ceských, Vol CII, No 34, 23 August 63.  
pp 920-924.

Abstract [Authors' English summary, modified]: Seldinger's method or lumbar puncture were applied to 58 patients in abdominal aortography. The effect of Diodon, Triumbren, Pyelosil, Hypaque, and Urografin on the glomerular filtration was compared. Addis' sediment and quantitative proteinuria were examined in 27 patients. Hypaque and Urografin proved most useful. Diodon and Triumbren are not suitable for this examination. After Diodon two patients developed a transient renal insufficiency. An examination of the renal function is essential before every aortography. In patients with a markedly reduced glomerular filtration aortography involves a great hazard. Fourteen references.

1/1

HORNYCH, A.

Guanethidine — an effective new hypotensive preparation. Cas. lek.  
cesk. 102 no.5:113-124 1 F '63.

1. Ustav pro choroby obeha krevního v Praze, reditel doc. dr. J. Brod,  
DrSc.

(GUANETHIDINE)

(HYPERTENSION)

JIRKA, J.; FENCL, V.; HURYCH, J.; HORNYCH, A.

Intermittent peritoneal dialysis. Cas. lek. cesk. 103 no.47:  
1289-1299 20 N '64.

1. Ustav pro choroby krevniho, Praha-Krc, (reditel prof. dr.  
J. Brod, DrSc.).

BROD, J.; HORNYCH, A.; VAVREJN, B.; PRAT, V.; KOTKOVA, E.; SEDAR, F.;  
OPPELT, A.; CHARVAT, P.

Isotope renography in the diagnosis of chronic pyelonephritis.  
Cas. lek. Cesk. 104 no.52:1409-1420 24 D '65.

1. Ustav pro choroby obehu krvniho v Praze (reditel prof.  
dr. J. Brod, DrSc.) a Vyzkumny ustav pro vyuziti radioizotopu  
v lekarstvi (vedouci MUDr. B. Vavrej, CSc.).

BROD, J.; HORNYCH, A.; VAVREJN, B.; PRAT, V.; KOSTKOVA, B.; DEJDAR, R.;  
OPPELT, A.; CHARVAT, P.

Isotope renography in the diagnosis of chronic pyelonephritis.  
Rev. Czech. med. 11 no.4:213-231 '65.

1. Institute of Cardiovascular Research, Prague (Director:  
Prof. J. Brod. M.D., D.Sc.).

CA


7

Use of complexons in chemical analysis. VIII. Colorimetric determination of manganese. R. Pihlil and K. Hornychova (Charles Univ., Prague). *Chem. Listy* 44, 101-3 (1950); cf. C.A. 45, 3756c. —Mn(III) forms a ruby-colored complex with  $[(\text{HO}_2\text{CCH}_2)_3\text{NCH}_2]_3$  (complexon III). Mn(II) solns. are oxidized with  $\text{PbO}_2$  or  $\text{NaBiO}_3$  in  $\text{AcOH}$  and absorption is measured at 500 m $\mu$ . Zn, Cd, Mg, and Hg do not interfere. When Co and Cr are present in the soln. a modified procedure is necessary. To det. Mn add 5 ml. 5% complexon soln. to a neutral soln. contg. 0.1-30 mg. Mn(II) salt in a volumetric flask, acidify with 10 ml.  $\text{AcOH}$ , add 0.1 g.  $\text{NaBiO}_3$ , shake 1 min., make up to 100 ml., and measure the absorption after 1 min. Al, Fe, Cu, and Ni must be removed prior to the detn. To det. Mn in the presence of Cr measure the absorption before and after the oxidation. To det. Mn in the presence of Co measure the absorption after the oxidation, then boil 1 min. to decomp. the Mn complex, and measure again. By combining the last 2 procedures, it is possible to det. Mn in the presence of small amts. of both Cr and Co. X. Gravimetric determination of tungsten with  $\alpha$ -quinolol. R. Pihlil and V. Sedlář. *Ibid.* 200-4. —The oxime of  $\alpha$ -quinolol ppt. W, Mo, and V quantitatively from their complexes with  $[(\text{HO}_2\text{CCH}_2)_3\text{NCH}_2]_3$  in the presence of  $\text{AcOH}$  and  $\text{NH}_4\text{OAc}$ . Other cations remain in soln. Methods for detg. W in the presence of Pb, Bi, Hg(II), Cd, Cu, Fe, Al, Cr, U,

Co, Mn, and Ni have been worked out. Procedures for the sepn. of W from U, Fe, and Co and for the sepn. of W, Fe, and Co and of W, U, and Co are given. W oximate can be decompd. with 4 N  $\text{NaOH}$ . The soln. is acidified with  $\text{HCl}$  in the presence of  $\text{H}_2\text{CO}_3$  and excess  $\text{KBrO}_3$  is added with ethyl red as indicator. Excess  $\text{KBrO}_3$  is immediately detd. iodometrically. XI. Potentiometric determination of cations with complexon III. R. Pihlil,

Z. Koadela, and B. Matyska. *Ibid.* 223-4. —Fe(III) can be titrated directly with complexon III (0.1 M) with a Pt electrode. The optimum pH is 5. Stability of the complexes is increased by  $\text{NH}_4\text{OAc}$ . Al, Cu, Cd, Zn, Ni, and Pb form stable complexes and can be detd. by adding excess complexon III and back titrating with Fe(III) (pH 5-6). Bi is detd. by formation of the complex in strongly acidic medium and back titration with Fe(III) at pH 3-5. Detn. of Bi in the presence of Cd, Zn, or Pb is carried out at different pH values. For the simultaneous detn. of Fe and Al the sample is treated with a known amt. of 0.1 M complexon III,  $\text{NH}_4\text{OAc}$  added to pH 5, and the excess complexon titrated with 0.1 M  $\text{FeCl}_3$ . The consumption gives the total Fe and Al. A known amt. of  $\text{FeCl}_3$  is added, and the soln. is acidified with  $\text{HCl}$  to pH 2 and allowed to stand 30 min. to accomplish the exchange of Al complexonate with Fe complexonate. Excess Fe(III) is detd. colorimetrically. M. Hudlický





CZECHOSLOVAKIA

CZECHOSLOVAKIA

BAJO, M.; HORNYCHOVA, H.; KRECEK, J.; Veterinary Faculty (Veterinarni Fakulta), Kosice; Faculty of Pediatrics, Charles University (Fakulta Detskeho Lekarstvi KU), Physiological Institute Czechoslovak Academy of Sciences (Fysiologicky Ustav CSAV), Prague.

"Natriuretic Effect of Vasopressin in Young Rats, and its Changes Resulting from Premature Weaning."

Prague, Ceskoslovenska Fysiologie, Vol 15, No 3, May 66, pp 212-216

Abstract: Sensitivity to antidiuretic and natriuretic effects of vasopressin was investigated in young rats aged 23, 30, 40, and 50 days. 23 days old rats are very sensitive to the antidiuretic effect of vasopressin. The manifestation of the natriuretic effect of vasopressin differs with age. A strong effect was noticed at 23 and 50 days; at 33 days no effect was noticed, at 40 medium doses are effective, low and high ones had no effect. Weaning increases sensitivity to the antidiuretic effect of vasopressin, increases natriuresis in 23 and 33 day old rats, and suppresses the natriuretic effect in 50 day old rats. 4 Figures, 11 Western, 9 Czech references. Submitted at 15 Days of Physiology-Symposium of Water Metabolism- 29 May 65.  
1/1

BRACHFELDOVA, J.; HORNYCHOVA, H.; MENCIKOVA, E.; SKALOVA, I.;  
NEUGEBAUEROVA, L.

Listeria infection in newborn infants. Cesk. pediat. 18 no.10:  
896-901 0 '63.

I. II detska klinika fakulty detskeho lekarstvi KU v Praze,  
prednosta prof. dr. J. Houstek, DrSc. Ustav lekarske mikro-  
biologie a imunologie v Praze, prednosta prof. dr. F. Patocka  
KHES Stredoceskeho kraje v Praze, reditalka MUDr. M. Rejskova.  
(INFANT, NEWBORN, DISEASES) (LISTERIA INFECTIONS)  
(COMMUNICABLE DISEASE CONTROL)

ERDELYI, Ferenc, egyetemi adjunktus; HORNYIK, Laszlo, egyetemi adjunktus;  
TAJNAFOI, Jozsef, egyetemi adjunktus.

Theoretical foundations for designing multiflue distribution  
valves with fixed program. Gep 15 no.11:425-431 N°63

1. Nehezipari Muszaki Egyetem Szerszangepok Tanszake, Miskolc.  
Tanszekvezeto: Kordoss, Josef, egyetemi tanar.

*Hornysiewicz, O.*  
 Influence of eserine, tetraethyl pyrophosphate, and neostigmine on the blood pressure and the carotid sinus pressure reflexes in the rat. *O. Hornysiewicz and W. Kolimiec* (Univ. Vienna). *Stavsky-Schmidhans Arch. exp. Pathol. Pharmacol.* 228, 493-500 (1960).—The reported pressor effects of eserine (I) and tetraethyl pyrophosphate (II) are confirmed. The pressor effects produced by occlusion of the carotid sinuses are activated by I and II. Intracerebral application of I and the use of atropine and reserpine suggest that the effects on blood pressure and the carotid sinus occlusion reflex are mediated by a central mechanism. Prostigmine, which on intravenous administration gives only a peripherally conditioned reducing effect on the blood pressure, exerts after intracerebral administration the same effect on blood pressure and the carotid sinus occlusion reflex as I and II.  
 A. G. Meyer

2

HORNYOS, Janos

A new theory on the genesis of oil. Bany lap 94 no.3:186 Mr '61.

(Oils and fats)

HORNZIEL, Gustaw, mgr.inz.

The most modern types of electric batteries and electric motorization.  
Przegl techn 81 no.14:13-15 Ap '60.

POLAND

GAWRONOWA, Helena; HOROCH, Czeslaw; KOZLOWSKA, Teresa; SI-KORSKA, Jadwiga and SZMUNESS, Wolf; Wojewodztwo Health and Epidemiology Station (Wojewodzka Stacja Sanitarno-Epidemiologiczna), Lublin, Director: Dr Cz. HOROCH.

"A Water-Borne Epidemic of Dysentery and Diarrhea"

Warsaw, Przegląd Epidemiologiczny, Vol XVI, No 4, 1962, pp 473-478.

Abstract: Authors: English summary modified. An epidemic of bacillary dysentery and colitis probably due to the contamination of the water supply in an urban area is described. The incidence and clinical course of the diseases are discussed. The healthy carriers, primary cases, duration of the epidemic and its peaks, as well as its control are reported. 2 tables; 1 diagram; 6 references, all of them Eastern.

- END -

2372, 2571

CSO: 2000-N



HCROCH, I.

"Improvement of Qualifications as One of the Chief Tasks of Smelters in 1953" p. 14  
(Wiadomosci Hutnicze, Vol. 9, No. 4, April, 1953, Stalinogrod)

SO: Monthly List of East European Accessions, Vol. 3, No. 2, Library of Congress,  
February, 1954, Uncl.

HOROCH, I.

"The Whole Nation Builds Nowa Huta; our Metallurgy will Transfer its Best Cadres of Workers to it" p. 8 (Wiadomosci Hutnicze, Vol. 9, No. 7/8, July/Aug., 1953, Stalinogrod)

SO: Monthly List of East European Accessions, Vol. 3, No. 2, Library of Congress, February, 1954, Uncl.

HOROCH, Ludwik

For development of the Polish national economy in all possible respects; on the basis of the principles and resolutions of the 12th Plenum of the Central Committee of the Polish United Worker's Party and the development directives of the Polish People's Republic for 1959-1965. Wiad hut 15 no.2:37-39  
F '59.

POLAND

HORODECKA, Maria; WIECLAWEK, Bonifacy.

Department of Analytical Chemistry, Institute of Antibiotics  
(Zaklad Analityczny Instytutu Antybiotykow), Warsaw - (for both).

Warsaw, Chemia analityczna, No 6, November-December 1965, pp 1363-1364.

"The modified method of spectrophotometric determination of erythromycin in fermentation worts."

HORODECKI, Jerzy, mgr.inz.

Cutting machine tools at the 1961 International Industry Fair  
in Brno. Przegl mech 21 no.2:51-55 Ja '62.

1. Centralne Biuro Konstrukcji Okretow, Pruszkow.

HORODECKI, Jerzy, mgr. inz.

Universal milling machines produced by the P. Hure Works in  
Paris. Przegl mech 22 no.19:607-608 10 0 '63.

HORODENSKI, Jaroslaw

A case of congenital lens dislocation. Klin.oczna 29 no.4:  
409-411 '59.

1. Z Kliniki Okulistycznej A. M. w Białymstoku Kierownik:  
prof. dr med. M. Dynitowska.  
(LENS CRYSTALLINE abnorm)

JANUSZKO, Tadeusz; HORODENSKI, Jaroslaw; OLBROMSKI, Jan

Behavior of fibrinolysis activator in stored plasma. Acta med.  
Pol. 6 no.2:225-233 '65.

1. Department of General and Experimental Pathology, Medical  
Academy, Bialystok (Director: Prof. Dr. K. Buluk) and the  
Ophtalmological Clinic, Medical Academy, Bialystok (Director:  
Prof. Dr. M. Dymitrowska).



HORODENSKI, Jaroslaw

A case of acute glaucoma during the course of choroiditis  
(uveitis hypertensiva). Klin. oczna 30 no.2:171-173 '60.

1. Z Kliniki Okulistycznej A.M. w Białymstoku. Kierownik:  
prof.dr med. M. Dymitrowska.  
(GLAUCOMA compl.)  
(CHLOROID dis.)

HORODENSKI, Jaroslaw

Effect of lytic cocktail on the intraocular pressure in acute glaucoma.  
Klin. oczna 31 no.4:365-366 '61.

1. Z Kliniki Okulistycznej AM w Białymstoku Kierownik: prof. dr med.  
M. Dymitrowska.

(GLAUCOMA ther) (HIBERNATION ARTIFICIAL)

HORODENSKI J.

HORODENSKI J. AND ALEKSANDROWICZ J. Second Clinic of Internal Diseases Jagiellonian Univ. of Cracow and Dept. of Neurology, St. Lazarus' Hospital Cracow. Nitrogranulogen (iperyt axotowy) wleczeniu schorzen ukkladu nerwowego Nitrogranulogen (nitrogen Mustard) in the treatment of diseases of the nervous a stem Bull. int. Acad. Cracovic, Cl.1949, 7-10 (211-231) Tables 5

0.01-.12 mg./kg. body weight was given 2-3 times on alternate days, begin repeated in some cases after an interval of 2-4 weeks. In 70 cases of neuralgia and neuritis, good results were obtained in 63 (90%). In 13 cases of tuberculous meningitis previously treated with streptomycin, there was improvement of paralysis and paresis, but not always of the general condition in all the cases. In 2 cases of recent cerebral hemorrhage, there was a rapid improvement in the paresis. In 3 cases of polymyelitis and 12 cases of chorea good results were also obtained. In 25 cases of cerebral tumor there was relief of apir and improvement in paresis. It is not thought that nitrogen mustard has any antimitotic activity on the tumor, but rather that it accelerates and the rate of absorption of exudates, reducing the inflammatory changes in the adjacent tissues.

Opalski - Warsaw  
(VIII, 2)

So: Neurology & Psychiatry Section VIII, Vol. 4, No.1-6

HORODENSKI, Jaroslaw

A rare case of focal tuberculous reaction without local reactions  
in tuberculin reaction. Klin. oczna 32 no.1:49-51 '62.

1. Z Kliniki Okulistycznej AM w Białymstoku Kierownik: prof. dr  
med. M. Dymitrowska.  
(TUBERCULIN REACTION) (CHOROID dis)